

# PRODUCT DATASHEET

## TRUSYS FLEX SPOT TRACK 1500 WT

TruSys® FLEX SPOT TRACK | Track rail insert for mounting spot lighting



---

### Product benefits

- Suitable for LEDVANCE Trackspots
- Up to 3 track spots can be installed

---

### Product features


- 150 cm insert with a 90 cm track rail in powergear layout



TECHNICAL DATA

Dimensions & Weight

|                |           |
|----------------|-----------|
| Length         | 1500 mm   |
| Width          | 70.0 mm   |
| Height         | 15.2 mm   |
| Product weight | 1600.00 g |



Materials & Colors

|               |           |
|---------------|-----------|
| Product color | White     |
| Body material | Aluminium |

Application & Mounting

|                          |               |
|--------------------------|---------------|
| Mounting location        | Mounting rail |
| Replaceable light source | No            |

Certificates & Standards

|           |                             |
|-----------|-----------------------------|
| Standards | CE / CB / UKCA / ENEC / EAC |
|-----------|-----------------------------|

DOWNLOAD DATA

| Documents and certificates                                                         |                                        | Document name                         |
|------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------|
|  | User instruction / safety instructions | UI Trusys Flex Spot Track             |
|  | Legal information                      | Legal insert TRUSYS FLEX Sensor Track |
|  | Legal information                      | Informationstext 18 Abs 4 ElektroG    |

| Documents and certificates                                                        |                                 | Document name                                |
|-----------------------------------------------------------------------------------|---------------------------------|----------------------------------------------|
|  | Declarations of conformity      | CE Declaration of Conformity TRUSYS FLEX     |
|  | Declarations of conformity UKCA | UKCA Declaration of Conformity TRUSYS FLEX   |
| CAD/BIM files                                                                     |                                 | Document name                                |
|  | CAD STEP 3D                     | TruSys FLEX SPOT TRACK                       |
| Tender texts                                                                      |                                 | Document name                                |
|  | Tender documents                | TruSys FLEX SPOT TRACK SPOT TRACK 1500 WT-EN |

LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075782051 | Folding box<br>1             | 1,531 mm x 102 mm x 76 mm            | 1893.00 g    | 11.87 dm <sup>3</sup> |
| 4058075782068 | Shipping box<br>4            | 1,541 mm x 214 mm x 167 mm           | 8672.00 g    | 55.07 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.