

PRODUCT DATASHEET

Tracklight Pendant Connector Black

Tracklight accessories | Tracklight accessories



Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

Product benefits

- Timeless elegant design
- High-quality materials

Product features

- Customisable modular tracklight system
- Accessories for tracklight system




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50/60 Hz
Protection class	I

Dimensions & Weight

Length	81.0 mm
Width	34.0 mm
Height	40 mm
Product weight	33.00 g



TRACKLIGHT PENDANT CONNECTOR

Materials & Colors

Product color	Black
Body material	Plastic

Application & Mounting

Ambient temperature range	-20...+40 °C
With light source	No
Replaceable light source	No





Certificates & Standards

Standards	CE / UKCA
Ball shot safe	No

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	TRACKLIGHT PENDANT CONNECTOR
	Legal information	Safety insert G11219578
	Declarations of conformity	DL ESSENTIAL AND TRACKLIGHT
	Declarations of conformity UKCA	DL ESSENTIAL AND TRACKLIGHT

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854447228	Folding box 1	40 mm x 90 mm x 45 mm	41.00 g	0.16 dm ³
4099854447235	Shipping box 6	130 mm x 100 mm x 100 mm	314.00 g	1.30 dm ³
4099854447242	Shipping box 96	420 mm x 280 mm x 225 mm	5542.00 g	26.46 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.