

PRODUCT DATASHEET

LISOEV 1465x31 25 17W 940 S130

LINEAR INDIVIDUAL LIGHT SOURCES INDIRECT | Upgrade or replacement light source unit for indirect, diffuse light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Indirect, diffuse light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	17.00 W
Nominal voltage	45 V
Nominal current	350.000 mA

Photometrical data

Luminous flux	2500 lm
Luminous efficacy	147 lm/W
Color temperature	4000 K
Light color (designation)	Cool White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdcm
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	130 °
UGR	19



LISOEV 1465X31 25 17W 940 S130 LEDV 350mA



LISOEV 1465X31 25 17W 940 S130 LEDV 350mA

Dimensions & Weight

Length	1465.00 mm
--------	------------

Width	31.00 mm
Height	11.00 mm
Product weight	337.00 g
Cable length	100.000



1 5m INDIRECT LED MODULE

Materials & Colors

Product color	Grey
Housing color	Grey

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1465X31 25 17W 940 S130 LEDV 350mA
	LDT file (Eulumdat)	LISOEV 1465X31 25 17W 940 S130 LEDV 350mA
	Light distribution curve type cone	LISOEV 1465X31 25 17W 940 S130 LEDV 350mA
	Light distribution curve type polar	LISOEV 1465X31 25 17W 940 S130 LEDV 350mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV INDIRECT G2 LISOEV 1500

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854285028	Folding box 1	36 mm x 1,472 mm x 17 mm	417.00 g	0.90 dm ³
4099854285035	Shipping box 10	1,484 mm x 184 mm x 67 mm	4270.00 g	18.29 dm ³
4099854285042	Shipping box 20	1,504 mm x 204 mm x 158 mm	9450.00 g	48.48 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DIRECT								PROJECT							
EAN		LODEV		EAN		LINEAR INDEXED*WT		EAN		LODEV		EAN		LINEAR INDEXED*WT	
				409954103710	0 1000 P 40K 400 PLS WT							409954076210	0 1000 P 40K 400 PLS BK		
				409954103720	0 1000 P 40K 500 PLS WT							409954076310	0 1000 P 40K 500 PLS BK		
				409954103730	0 1000 P 40K 600 PLS WT							409954076410	0 1000 P 40K 600 PLS BK		
409954043010	USDEV 100100 10			409954103740	0 1000 P 40K 700 PLS WT			409954043010	USDEV 100100 10			409954043020	USDEV 100100 10		
		409954104670	USDEV 100010 20	409954103750	0 1000 P 40K 800 PLS WT					409954043030	USDEV 100100 20	409954043040	USDEV 100100 20		
				409954103760	0 1000 P 40K 900 PLS WT					409954043050	USDEV 100100 30	409954043060	USDEV 100100 30		
		409954043040	USDEV 100010 30	409954103770	0 1000 P 40K 1000 PLS WT					409954043070	USDEV 100100 40	409954043080	USDEV 100100 40		
				409954103780	0 1000 P 40K 1100 PLS WT					409954043090	USDEV 100100 50	409954043100	USDEV 100100 50		
409954043020	USDEV 100010 10			409954103790	0 1000 P 40K 1200 PLS WT			409954043020	USDEV 100010 10			409954043030	USDEV 100010 10		
				409954103790	0 1000 P 40K 1300 PLS WT					409954043040	USDEV 100010 20	409954043050	USDEV 100010 20		
		409954043050	USDEV 100010 20	409954103790	0 1000 P 40K 1400 PLS WT					409954043060	USDEV 100010 30	409954043070	USDEV 100010 30		
				409954103790	0 1000 P 40K 1500 PLS WT					409954043080	USDEV 100010 40	409954043090	USDEV 100010 40		
				409954103790	0 1000 P 40K 1600 PLS WT					409954043100	USDEV 100010 50	409954043110	USDEV 100010 50		
409954043030	USDEV 100010 10			409954103790	0 1000 P 40K 1700 PLS WT			409954043030	USDEV 100010 10			409954043040	USDEV 100010 10		
				409954103790	0 1000 P 40K 1800 PLS WT					409954043050	USDEV 100010 20	409954043060	USDEV 100010 20		
		409954043060	USDEV 100010 20	409954103790	0 1000 P 40K 1900 PLS WT					409954043070	USDEV 100010 30	409954043080	USDEV 100010 30		
				409954103790	0 1000 P 40K 2000 PLS WT					409954043090	USDEV 100010 40	409954043100	USDEV 100010 40		
				409954103790	0 1000 P 40K 2100 PLS WT					409954043110	USDEV 100010 50	409954043120	USDEV 100010 50		
				409954103790	0 1000 P 40K 2200 PLS WT					409954043130	USDEV 100010 60	409954043140	USDEV 100010 60		
409954043040	USDEV 100010 10			409954103790	0 1000 P 40K 2300 PLS WT			409954043040	USDEV 100010 10			409954043050	USDEV 100010 10		
				409954103790	0 1000 P 40K 2400 PLS WT					409954043060	USDEV 100010 20	409954043070	USDEV 100010 20		
		409954043050	USDEV 100010 20	409954103790	0 1000 P 40K 2500 PLS WT					409954043080	USDEV 100010 30	409954043090	USDEV 100010 30		
				409954103790	0 1000 P 40K 2600 PLS WT					409954043100	USDEV 100010 40	409954043110	USDEV 100010 40		
				409954103790	0 1000 P 40K 2700 PLS WT					409954043120	USDEV 100010 50	409954043130	USDEV 100010 50		
409954043050	USDEV 100010 10			409954103790	0 1000 P 40K 2800 PLS WT			409954043050	USDEV 100010 10			409954043060	USDEV 100010 10		
				409954103790	0 1000 P 40K 2900 PLS WT					409954043080	USDEV 100010 20	409954043090	USDEV 100010 20		
		409954043060	USDEV 100010 20	409954103790	0 1000 P 40K 3000 PLS WT					409954043100	USDEV 100010 30	409954043110	USDEV 100010 30		
				409954103790	0 1000 P 40K 3100 PLS WT					409954043120	USDEV 100010 40	409954043130	USDEV 100010 40		
409954043060	USDEV 100010 10			409954103790	0 1000 P 40K 3200 PLS WT			409954043060	USDEV 100010 10			409954043070	USDEV 100010 10		
				409954103790	0 1000 P 40K 3300 PLS WT					409954043090	USDEV 100010 20	409954043100	USDEV 100010 20		
		409954043070	USDEV 100010 20	409954103790	0 1000 P 40K 3400 PLS WT					409954043110	USDEV 100010 30	409954043120	USDEV 100010 30		
				409954103790	0 1000 P 40K 3500 PLS WT					409954043130	USDEV 100010 40	409954043140	USDEV 100010 40		
409954043070	USDEV 100010 10			409954103790	0 1000 P 40K 3600 PLS WT			409954043070	USDEV 100010 10			409954043080	USDEV 100010 10		
				409954103790	0 1000 P 40K 3700 PLS WT					409954043100	USDEV 100010 20	409954043110	USDEV 100010 20		
		409954043080	USDEV 100010 20	409954103790	0 1000 P 40K 3800 PLS WT					409954043120	USDEV 100010 30	409954043130	USDEV 100010 30		
				409954103790	0 1000 P 40K 3900 PLS WT					409954043140	USDEV 100010 40	409954043150	USDEV 100010 40		
409954043080	USDEV 100010 10			409954103790	0 1000 P 40K 4000 PLS WT			409954043080	USDEV 100010 10			409954043090	USDEV 100010 10		
				409954103790	0 1000 P 40K 4100 PLS WT					409954043110	USDEV 100010 20	409954043120	USDEV 100010 20		
		409954043090	USDEV 100010 20	409954103790	0 1000 P 40K 4200 PLS WT					409954043130	USDEV 100010 30	409954043140	USDEV 100010 30		
				409954103790	0 1000 P 40K 4300 PLS WT					409954043150	USDEV 100010 40	409954043160	USDEV 100010 40		
409954043090	USDEV 100010 10			409954103790	0 1000 P 40K 4400 PLS WT			409954043090	USDEV 100010 10			409954043100	USDEV 100010 10		
				409954103790	0 1000 P 40K 4500 PLS WT					409954043120	USDEV 100010 20	409954043130	USDEV 100010 20		
		409954043100	USDEV 100010 20	409954103790	0 1000 P 40K 4600 PLS WT					409954043140	USDEV 100010 30	409954043150	USDEV 100010 30		
				409954103790	0 1000 P 40K 4700 PLS WT					409954043160	USDEV 100010 40	409954043170	USDEV 100010 40		
409954043100	USDEV 100010 10			409954103790	0 1000 P 40K 4800 PLS WT			409954043100	USDEV 100010 10			409954043110	USDEV 100010 10		
				409954103790	0 1000 P 40K 4900 PLS WT					409954043130	USDEV 100010 20	409954043140	USDEV 100010 20		
		409954043110	USDEV 100010 20	409954103790	0 1000 P 40K 5000 PLS WT					409954043150	USDEV 100010 30	409954043160	USDEV 100010 30		
				409954103790	0 1000 P 40K 5100 PLS WT					409954043170	USDEV 100010 40	409954043180	USDEV 100010 40		
409954043110	USDEV 100010 10			409954103790	0 1000 P 40K 5200 PLS WT			409954043110	USDEV 100010 10			409954043120	USDEV 100010 10		
				409954103790	0 1000 P 40K 5300 PLS WT					409954043140	USDEV 100010 20	409954043150	USDEV 100010 20		
		409954043120	USDEV 100010 20	409954103790	0 1000 P 40K 5400 PLS WT					409954043160	USDEV 100010 30	409954043170	USDEV 100010 30		
				409954103790	0 1000 P 40K 5500 PLS WT					409954043180	USDEV 100010 40	409954043190	USDEV 100010 40		
409954043120	USDEV 100010 10			409954103790	0 1000 P 40K 5600 PLS WT			409954043120	USDEV 100010 10			409954043130	USDEV 100010 10		
				409954103790	0 1000 P 40K 5700 PLS WT					409954043150	USDEV 100010 20	409954043160	USDEV 100010 20		
		409954043130	USDEV 100010 20	409954103790	0 1000 P 40K 5800 PLS WT					409954043170	USDEV 100010 30	409954043180	USDEV 100010 30		
				409954103790	0 1000 P 40K 5900 PLS WT					409954043190	USDEV 100010 40	409954043200	USDEV 100010 40		
409954043130	USDEV 100010 10			409954103790	0 1000 P 40K 6000 PLS WT			409954043130	USDEV 100010 10			409954043140	USDEV 100010 10		
				409954103790	0 1000 P 40K 6100 PLS WT					409954043160	USDEV 100010 20	409954043170	USDEV 100010 20		
		409954043140	USDEV 100010 20	409954103790	0 1000 P 40K 6200 PLS WT					409954043180	USDEV 100010 30	409954043190	USDEV 100010 30		
				409954103790	0 1000 P 40K 6300 PLS WT					409954043200	USDEV 100010 40	409954043210	USDEV 100010 40		
409954043140	USDEV 100010 10			409954103790	0 1000 P 40K 6400 PLS WT			409954043140	USDEV 100010 10			409954043150	USDEV 100010 10		
				409954103790	0 1000 P 40K 6500 PLS WT					409954043170	USDEV 100010 20	409954043180	USDEV 100010 20		
		409954043150	USDEV 100010 20	409954103790	0 1000 P 40K 6600 PLS WT					409954043190	USDEV 100010 30	409954043200	USDEV 100010 30		
				409954103790	0 1000 P 40K 6700 PLS WT					409954043210	USDEV 100010 40	409954043220	USDEV 100010 40		
409954043150	USDEV 100010 10			409954103790	0 1000 P 40K 6800 PLS WT			409954043150	USDEV 100010 10			409954043160	USDEV 100010 10		
				409954103790	0 1000 P 40K 6900 PLS WT					409954043180	USDEV 100010 20	409954043190	USDEV 100010 20		
		409954043160	USDEV 100010 20	409954103790	0 1000 P 40K 7000 PLS WT					409954043200	USDEV 100010 30	409954043210	USDEV 100010 30		
				409954103790	0 1000 P 40K 7100 PLS WT					409954043220	USDEV 100010 40	409954043230	USDEV 100010 40		
409954043160	USDEV 100010 10			409954103790	0 1000 P 40K 7200 PLS WT			409954043160	USDEV 100010 10			409954043170	USDEV 100010 10		
				409954103790	0 1000 P 40K 7300 PLS WT					409954043190	USDEV 100010 20	409954043200	USDEV 100010 20		
		409954043170	USDEV 100010 20	409954103790	0 1000 P 40K 7400 PLS WT					409954043210	USDEV 100010 30	409954043220	USDEV 100010 30		
				409954103790	0 1000 P 40K 7500 PLS WT					409954043230	USDEV 100010 40	409954043240	USDEV 100010 40		
409954043170	USDEV 100010 10			409954103790	0 1000 P 40K 7600 PLS WT			409954043170	USDEV 100010 10			409954043180	USDEV 100010 10		
				409954103790	0 1000 P 40K 7700 PLS WT					409954043200	USDEV 100010 20	409954043210	USDEV 100010 20		
		409954043180	USDEV 100010 20	409954103790	0 1000 P 40K 7800 PLS WT					409954043220	USDEV 100010 30				

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.