

## PRODUCT DATASHEET DALIECO SWARM ADAPTER

DALieco Swarm Adapter | Radio adapter for DALieco Control



### Areas of application

- Offices
- Corridors

### Product benefits

- Simple configuration via screwdriver

### Product features


- 868 MHz radio adapter for wireless synchronization of DALieco control units
- Bidirectional transmission of motion signals and central on/off commands
- Digital radio coding of up to seven zones and seven group addresses
- Transmitter range: up to 50 m
- VDE certified system
- Direct connection and supply via DALieco control unit

TECHNICAL DATA

Electrical data

|                 |          |
|-----------------|----------|
| Nominal wattage | 4.00 W   |
| Nominal voltage | 16 V     |
| Mains frequency | 50/60 Hz |

Dimensions & Weight



|                |          |
|----------------|----------|
| Length         | 68.00 mm |
| Width          | 30.00 mm |
| Height         | 11.00 mm |
| Product weight | 17.00 g  |

Temperatures & operating conditions

|                           |            |
|---------------------------|------------|
| Ambient temperature range | 0...+50 °C |
|---------------------------|------------|

Additional product data

|                           |   |
|---------------------------|---|
| Number of control outputs | 1 |
|---------------------------|---|


Capabilities




|                      |                       |
|----------------------|-----------------------|
| Dimmable             | No                    |
| Type of installation | Luminaire integration |
| Transmitter range    | 50 m                  |

Certificates & Standards

|                           |      |
|---------------------------|------|
| Approval marks – approval | CE   |
| Protection class          | III  |
| Type of protection        | IP20 |

DOWNLOAD DATA

| Documents and certificates   |  | Document name                              |
|--|--|--|
|  | User instruction / safety instructions | 726597_DALIEco Swarm Adapter radio leaflet |

| Documents and certificates   |  | Document name                                      |
|--|--|--|
|  | User instruction / safety instructions | 726596_DALI ECO Swarm adapter mounting instruction |
|  | User instruction / safety instructions | 726598_DALIEco Swarm Adapter user instruction      |
|  | Declarations of conformity             | EU Declaration of Conformity DALIeco Swarm Adapter |

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4052899955646 | Folding box<br>1             |                                      |              |                       |
| 4052899955653 | Shipping box<br>45           | 320 mm x 265 mm x 160 mm             | 1500.00 g    | 13.57 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.